

IN THE CLAIMS:

Claims 1, 9, 11, 21, 23, 25, 30, 33, 36 and 49 are currently being amended. Claims 32 and 62 are currently being cancelled. The status of the claims is as follows:

A 1. (Currently amended) A method of enabling a first computer to communicate and exchange data with a second computer, the first and second computer being ~~connectable~~ in communication with each other via a network server, the second computer having a second script and a second control loaded thereon and operable in connection therewith, said method comprising the steps of:

downloading, to the first computer, computer code comprising a first script

operable in connection with the first computer for accessing a function of

a first control loaded on the first computer, the first script being further

operable for receiving data input by a user of the first computer and for

causing the first control to communicate with ~~the a~~ a server and to transmit

the data input by the user to the server; ~~and~~

enabling the user of the first computer to communicate with the second computer

to present a request for synchronization with the user of the first computer;

enabling the user of the second computer to agree to synchronize with the user of

the first computer;

enabling the user of the first computer to synchronize with a the user of the

second computer; and

controlling the Internet navigation of the second computer based upon Internet
navigation of the first computer; and

causing the server to transmit the data received from the first script to the second
computer for receipt by the second control.

2. (Original) A method as recited by claim 1, wherein the computer code
further comprises the first control.

3. (Original) A method as recited by claim 1, wherein the first control
comprises an ActiveX control.

4. (Original) A method as recited by claim 1, wherein the first script can
display data output to the user of the first computer.

5. (Original) A method as recited by claim 1, wherein the first script can
send data to and receive data from the first control.

6. (Original) A method as recited by claim 1, wherein the first script can call
the function of the first control.

7. (Original) A method as recited by claim 6, wherein the first script can
send data to and receive data from the function of the first control.

8. (Original) A method as recited by claim 1, wherein the first script is operable in connection with the first computer by opening a web page containing the first script.

9. (Currently amended) A method as recited by claim 1, wherein the server has defined in a database thereon a synchronization group, and wherein the function of the first control comprises:

- a login function to enable the user of the first computer to login to ~~the~~ a synchronization group;
- a synchronization function to enable the user of the first computer to synchronize with a member of the synchronization group; and
- a navigation function to enable control of the Internet navigation of a computer of the member of the synchronization group based upon the Internet navigation of the first computer.

10. (Currently amended) A method as recited by claim 9, wherein the function of the first control further comprises ~~and~~ an instant message function to enable a user of the first computer to send an instant message to a member of the synchronization group.

11. (Currently amended) A method of enabling a first computer to communicate and exchange data with a second computer, the first and second computer being ~~connectable~~ in communication with each other via a ~~server~~ network, said method comprising the steps of:

downloading, to the first computer, first computer code comprising a first script operable in connection with the first computer for accessing a function of a first control loaded on the first computer, the first script being further operable for receiving data input by a user of the first computer and for causing the first control to communicate with ~~the~~ a server and to transmit the data input by the user to the server;

downloading, to the second computer, second computer code comprising a second script operable in connection with the second computer for accessing a function of a second control loaded on the second computer, the second script being further operable for receiving data input by a user of the second computer; and

enabling the user of the first computer to communicate with the second computer to present a request for synchronization with the user of the first computer;

enabling the user of the second computer to agree to synchronize with the user of the first computer;

enabling the user of the first computer to synchronize with a the user of the second computer;

controlling the Internet navigation of the second computer based upon Internet navigation of the first computer; and

causing the server to transmit the data received from the first script to the second computer for receipt by the second control.

12. (Original) A method as recited by claim 11, wherein the first computer code further comprises the first control.

13 (Original) A method as recited by claim 12, wherein the first control comprises an ActiveX control.

14. (Original) A method as recited by claim 11, wherein the second computer code further comprises the second control.

15. (Original) A method as recited by claim 14, wherein the second control comprises an ActiveX control.

16. (Original) A method as recited by claim 11, wherein the first script can display data output to the user of the first computer, and wherein the second script can display data output to the user of the second computer.

17. (Original) A method as recited by claim 11, wherein the first script can send data to and receive data from the first control, and wherein the second script can send data to and receive data from the second control.

18. (Original) A method as recited by claim 11, wherein the first script can call the function of the first control.

19. (Original) A method as recited by claim 18, wherein the first script can send data to and receive data from the function of the first control, and wherein the second script can send data to and receive data from the function of the second control.

20. (Original) A method as recited by claim 11, wherein the first script is operable in connection with the first computer by opening a web page containing the first script, and wherein the second script is operable in connection with the second computer by opening a web page containing the second script.

21. (Original) A method as recited by claim 11, wherein the server has defined in a database thereon a synchronization group, and wherein the function of the first control comprises:

- a login function to enable the user of the first computer to login to the a synchronization group;
 - a synchronization function to enable the user of the first computer to synchronize with a member of the synchronization group; and
 - a navigation function to enable control of the Internet navigation of a computer of the member of the synchronization group based upon the Internet navigation of the first computer;
- and wherein the function of the second control comprises:
- a login function to enable the user of the second computer to login to the synchronization group;

a synchronization function to enable the user of the second computer to
synchronize with a member of the synchronization group; and
a navigation function to enable control of the Internet navigation of the computer
of a member of the synchronization group based upon the Internet
navigation of the second computer.

22. (Currently amended) A method as recited by claim 21, wherein the
function of the first control further comprises ~~and~~ an instant message function to enable a user of
the first computer to send an instant message to a member of the synchronization group, and
wherein the function of the ~~first~~ second control further comprises ~~and~~ an instant message
function to enable a user of the ~~first~~ second computer to send an instant message to a member of
the synchronization group.

23. (Currently amended) A method of enabling a first computer to
synchronize with a second computer ~~as a synchronization group~~ so that the second computer is
caused to navigate the Internet based upon Internet navigation of the first computer, the first
computer and second computer being ~~connectable~~ in communication with each other via a ~~server~~
network, said method comprising the steps of:

~~enabling a user of the first computer to login to the synchronization group;~~
enabling the user of the first computer to communicate with the second computer
to present a request for synchronization with the user of the first computer;
enabling the user of the second computer to agree to synchronize with the user of
the first computer;

enabling the user of the first computer to synchronize with a the user of the second computer; and
controlling the Internet navigation of the second computer based upon Internet navigation of the first computer.

24. (Original) A method as recited by claim 23, further comprising the step of enabling the user of the first computer to send an instant message to the user of the second computer.

25. (Currently amended) A method as recited by claim 23, ~~wherein said~~ further comprising the step of enabling the user of the first computer to login, said step comprising comprises:

providing a script that accepts data input from the user of the first computer; and
providing an ActiveX control defining a login function that generates a login identification and that receives the data input to the script from the user of the first computer, the ActiveX control transmitting the data input and login identification to the server, the ActiveX control receiving login confirmation or rejection data from the server and passing the login confirmation or rejection data to the script.

26. (Original) A method as recited by claim 23, wherein said step of enabling the user of the first computer to synchronize comprises:

providing a script that accepts data input from the user of the first computer and creates an XML feed of the data; and
providing an ActiveX control defining a synchronization function that generates a synchronization identification and that receives the XML feed from the script, the ActiveX control transmitting the XML feed and synchronization identification to the server.

27. (Original) A method as recited by claim 26, wherein Internet navigation is carried out by the user of the first computer in connection with an Internet browser, and wherein said step of controlling the navigation comprises:

providing a browser helper object (BHO) control for receiving a navigation message from the Internet browser when the user of the first computer navigates from a first Internet web page to a second Internet web page;
providing a script for receiving the navigation message from the BHO control and for creating an XML feed of the navigation message; and
providing an ActiveX control defining a synchronization function that generates a synchronization identification and that receives the XML feed from the script, the ActiveX control transmitting the XML feed and synchronization identification to the server to control the Internet navigation of the second computer based upon Internet navigation of the first computer.

28. (Original) A method as recited by claim 27, wherein the navigation message comprises a url for the second Internet web page.

29. (Original) A method as recited by claim 24, wherein said step of enabling the user of the first computer to send an instant message comprises:

providing a script that accepts data input from the user of the first computer and creates an XML feed of the data; and

providing an ActiveX control defining a synchronization function that generates a synchronization identification and that receives the XML feed from the script, the ActiveX control transmitting the XML feed and synchronization identification to the server.

30. (Currently amended) A method as recited by claim 23, further comprising the step of enabling the user of the second computer to login to ~~the~~ a synchronization group.

31. (Original) A method as recited by claim 30, wherein said step of enabling the user of the second computer to login comprises:

providing a script that accepts data input from the user of the second computer; and

providing an ActiveX control defining a login function that generates a second login identification and that receives the data input to the script from the user of the second computer, the ActiveX control transmitting the data input and second login identification to the server, the ActiveX control receiving login confirmation or rejection data from the server and passing the login confirmation or rejection data to the script.

Claim 32 (Cancelled)

33. (Currently amended) A method as recited by claim 23 ~~32~~, wherein said step of enabling the user of the second computer to synchronize comprises:

providing a script that accepts data input from the user of the second computer
and creates an XML feed of the data; and

providing an ActiveX control defining a synchronization function that generates a
synchronization identification and that receives the XML feed from the
script, the ActiveX control transmitting the XML feed and synchronization
identification to the server.

34. (Original) A method as recited by claim 23, further comprising the step of
enabling the user of the second computer to send an instant message to the user of the first
computer.

35. (Original) A method recited by claim 34, wherein said step of enabling
the user of the second computer to send an instant message comprises:

providing a script that accepts data input from the user of the second computer
and creates an XML feed of the data; and

providing an ActiveX control defining a synchronization function that generates a
synchronization identification and that receives the XML feed from the
script, the ActiveX control transmitting the XML feed and synchronization
identification to the server.

36. (Currently amended) A system for enabling a first computer to communicate and exchange data with a second computer, the first and second computer being in communication with each other connectable via a server network, the second computer having a second script and a second control loaded thereon and operable in connection therewith, said system comprising a processor provided on the server and operable in connection with software loaded on the server, said processor downloading, from the server to the first computer, first computer code comprising a first script operable in connection with the first computer for accessing a function of a first control loaded on the first computer, the first script being further operable for receiving data input by a user of the first computer and for causing the first control to communicate with the server and to communicate the data input by the user to the server, said processor being further operable in connection with the software to cause the server to transmit the data received from the first script to the second computer for receipt by the second control, said processor being further operable in connection with the software enable the user of the first computer to communicate with the second computer to present a request for synchronization with the user of the first computer, enable the user of the second computer to agree to synchronize with the user of the first computer, enable the user of the first computer to synchronize with the user of the second computer, and control the Internet navigation of the second computer based upon Internet navigation of the first computer.

37. (Original) A system as recited by claim 36, wherein the server has defined in a database thereon a synchronization group, and wherein the function of the first control comprises:

a login function to enable the user of the first computer to login to the
synchronization group;
a synchronization function to enable the user of the first computer to synchronize
with a member of the synchronization group; and
a navigation function to enable control of the Internet navigation of a computer of
a member of the synchronization group based upon the Internet navigation
of the first computer.

38. (Original) A system as recited by claim 37, wherein the function of the
first control further comprises an instant message function to enable the user of the first
computer to send an instant message to a member of the synchronization group.

39. (Original) A system as recited by claim 36, wherein the first computer
code further comprises the first control.

40. (Original) A system as recited by claim 39, wherein the second control is
an ActiveX control.

41. (Original) A system as recited by claim 36, wherein the first script is
operable in connection with the first computer by opening a web page containing the first script.

42. (Original) A system as recited by claim 36, said processor being further
operable in connection with the software for downloading, from the server to the second

computer, second computer code comprising a second script operable in connection with the second computer for accessing a function of a second control loaded on the second computer, the second script being further operable for receiving data input by a user of the second computer.

43. (Original) A system as recited by claim 42, wherein the server has defined in a database thereon a synchronization group, and wherein the function of the second control comprises:

a login function to enable the user of the second computer to login to the
synchronization group;
a synchronization function to enable the user of the second computer to
synchronize with a member of the synchronization group; and
a navigation function to enable control of the Internet navigation of a computer of
a member of the synchronization group based upon the Internet navigation
of the second computer.

44. (Original) A system as recited by claim 43, wherein the function of the second control further comprises and instant message function to enable the user of the second computer to send an instant message to a member of the synchronization group.

45. (Original) A system as recited by claim 42, wherein the second computer code further comprises the second control.

46. (Original) A system as recited by claim 45, wherein the second control is an ActiveX control.

47. (Original) A system as recited by claim 42, wherein the second script is operable in connection with the second computer by opening a web page containing the second script.

48. (Original) A system as recited by claim 42, wherein the first script is operable in connection with the first computer by opening a web page containing the first script, and wherein the second script is operable in connection with the second computer by opening a web page containing the second script.

49. (Currently amended) A system for enabling a first computer to synchronize with a second computer so that the second computer is caused to navigate the Internet based upon Internet navigation of the first computer, the first computer and second computer being connectable in communication with each other via a network server having a database thereon and having defined therein a synchronization group, said system comprising:

~~a processor operable in connection with software to provide login functionality to~~

~~enable a user of the first computer to login to the synchronization group;~~

a processor being operable in connection with software to enable the user of the

first computer to communicate with the second computer to present a

request for synchronization with the user of the first computer;

said processor being further operable in connection with software to enable the
user of the second computer to agree to synchronize with the user of the
first computer;

said processor being further operable in connection with software to provide
synchronization functionality to enable the user of the first computer to
synchronize with the user of the second computer; and

said processor being further operable in connection with software to provide
navigation functionality to control the Internet navigation of the second
computer based upon Internet navigation of the first computer.

50. (Original) A system as recited by claim 49, said processor being further
operable in connection with software to enable the user of the first computer to send an instant
message to a member of the synchronization group.

51. (Original) A system as recited by claim 49, said processor being further
operable in connection with software to:

provide a script that accepts data input from the user of the first computer; and
provide an ActiveX control defining a login function that generates a login
identification and that receives the data input from the user of the first
computer, said ActiveX control transmitting the data and login
identification to the server, said ActiveX control receiving login
confirmation or rejection data from the server and passing the login
confirmation or rejection data to said script.

52. (Original) A system as recited by claim 49, said processor being further operable in connection with software to:

provide a script that accepts data input from the user of the first computer and
creates an XML feed of the data; and

provide an ActiveX control defining a synchronization function that generates a
synchronization identification and that receives the XML feed from said
script, said ActiveX control transmitting the XML feed and
synchronization identification to the server.

53. (Original) A system as recited by claim 49, wherein Internet navigation is
carried out by the user of the first computer in connection with an Internet browser, said
processor being further operable in connection with software to:

provide a browser helper object (BHO) control for receiving a navigation message
from the Internet browser when the user of the first computer navigates
from a first Internet web page to a second Internet web page;

provide a script for receiving the navigation message from the BHO control and
for creating an XML feed of the navigation message; and

provide an ActiveX control defining a synchronization function that generates a
synchronization identification and that receives the XML feed from said
script, said ActiveX control transmitting the XML feed and
synchronization identification to the server to control the Internet

navigation of the second computer based upon Internet navigation of the first computer.

54. (Original) A system as recited by claim 53, wherein the navigation message comprises a url for the second Internet web page.

55. (Original) A system as recited by claim 49, said processor being further operable in connection with software to:

provide a script that accepts data input from the user of the first computer and

creates an XML feed of the data; and

provide an ActiveX control defining a synchronization function that generates a

synchronization identification and that receives the XML feed from said

script, said ActiveX control transmitting the XML feed and

synchronization identification to the server.

56. (Original) A system as recited by claim 49, said processor being further operable in connection with software to enable the user of the second computer to login to the synchronization group.

57. (Original) A system as recited by claim 49, said processor being further operable in connection with software to:

provide a script that accepts data input from the user of the second computer; and

provide an ActiveX control defining a login function that generates a login identification and that receives the data input from the user of the second computer, said ActiveX control communicating the data and login identification to the server, said ActiveX control receiving login confirmation or rejection data from the server and passing the login confirmation or rejection data to said script.

58. (Original) A system as recited by claim 49, said processor being further operable in connection with software to enable the user of the second computer to synchronize with a member of the synchronization group.

59. (Original) A system as recited by claim 58, said processor being further operable in connection with software to:

provide a script that accepts data input from the user of the second computer and creates an XML feed of the data; and

provide an ActiveX control defining a synchronization function that generates a synchronization identification and that receives the XML feed from said script, said ActiveX control transmitting the XML feed and synchronization identification to the server.

60. (Original) A system as recited by claim 49, said processor being further operable in connection with software to enable the user of the second computer to send an instant message to a member of the synchronization group.

61. (Original) A system recited by claim 60, said processor being further operable in connection with software to:

provide a script that accepts data input from the user of the second computer and creates an XML feed of the data; and

provide an ActiveX control defining a synchronization function that generates a synchronization identification and that receives the XML feed from said script, said ActiveX control transmitting the XML feed and synchronization identification to the server.

Claim 62 (Cancelled)

